



Prestige

Specifications - Page 1 of 3


Model Number	Stair Color	Rough Opening Dimension	Stair Frame Dimension	Tread Width	Tread Depth	# of Treads	Unit Weight	Floor-to-Ceiling Height Range	Projection (See Page 2)	Landing Space (See Page 2)
M2236	White	22 1/2" X 36"	22" X 35 1/2"	12"	4 1/2"	9	96 lbs.	7' - 4" to 8' - 2"	24"	45"
Extra treads are included with stair						10		Over 8' - 2" to 9' - 0"	30"	47"
						11		Over 9' - 0" to 9' - 10"	35"	49"
M2254	Yellow	22 1/2" X 54"	22" X 53 1/2"	12"	4 1/2"	9	113 lbs.	7' - 4" to 8' - 2"	8"	50"
Extra treads are included with stair						10		Over 8' - 2" to 9' - 0"	12"	53"
						11		Over 9' - 0" to 9' - 10"	16"	57"
M2254H	Orange	22 1/2" X 54"	22" X 53 1/2"	12"	4 1/2"	12	120 lbs.	9' - 10" to 10' - 8"	24"	61"
Extra treads are included with stair						13		Over 10' - 8" to 11' - 6"	28"	65"
M2554	Blue	25 1/2" X 54"	25" X 53 1/2"	14"	4 1/2"	9	117 lbs.	7' - 4" to 8' - 2"	8"	50"
Extra treads are included with stair						10		Over 8' - 2" to 9' - 0"	12"	53"
						11		Over 9' - 0" to 9' - 10"	16"	57"
M3060S	Green	30" X 60"	29 1/2" X 59 1/2"	16"	4 1/2"	9	129 lbs.	7' - 4" to 8' - 2"	2"	50"
Extra treads are included with stair						10		Over 8' - 2" to 9' - 0"	6"	53"
						11		Over 9' - 0" to 9' - 10"	10"	57"
M3060H	Red	30" X 60"	29 1/2" X 59 1/2"	16"	4 1/2"	12	141 lbs.	9' - 10" to 10' - 8"	19"	61"
Extra treads are included with stair						13		Over 10' - 8" to 11' - 6"	23"	65"

- Other:
- * Weight Rating - 350 lbs.
 - * Door Thickness - 2 1/8"
 - * Double Weather Stripping



Prestige

Specifications - Page 2 of 3



A. Folded stair height - 16"
B. Floor to ceiling height
C. Frame height - 6 1/2"

D. Projection (see chart - page 1)
E. Height from ceiling at start of projection:
 22 1/2" X 36" stair = 17 3/4"
 22 1/2" X 54" stair = 27 1/2"
 25 1/2" X 54" stair = 27 1/2"
 30" X 60" stair = 33 1/2"

F. Landing space (see chart - page 1)
G. Only front bumpers touch floor
H. Door angle - 76 degrees
I. Stair angle - 70 degrees




Prestige

Specifications - Page 3 of 3


Inside and Outside Frame Dimensions

Rough Opening
22 1/2" X 36"
Outside Frame Dimension
22" X 35 1/2"




Latch - 1 1/2"

Rough Opening
22 1/2" X 54"
Outside Frame Dimension
22" X 53 1/2"




Latch - 1 1/2"

Rough Opening
25 1/2" X 54"
Outside Frame Dimension
25" X 53 1/2"



Latch - 1 1/2"

Rough Opening
30" X 60"
Outside Frame Dimension
29 1/2" X 59 1/2"



Latch - 1 1/2"